



**vMeasure**  
— PARCEL ULTIMA —




**DEPOSCO**

# INTEGRATION





# LEGAL FOR TRADE MEASUREMENTS



vMeasure Parcel Ultima UI Screen

One Click Dimension Transfer

Key	Name	Pack Type	Quantity	Length	Width	Height	Weight
01-Each-1		Each	1	16	12	21	0.15

Deposco UI Screen

Capture unit, case, pack, bundle and pallet-level measurements using the vMeasure API integration with Deposco.



Accurate SKU master data for pack types ranging from the smallest face mask to the largest pallet



No manual data entry or errors.



Select the most suitable packaging options, improving material use and saving costs.



Quickly deploy the integration with minimal IT support



# VMEASURE PARCEL ULTIMA SPECIFICATIONS

vMeasure can be used in 3 different configurations depending on your parcel sizes

## Table - Top

Can be placed in moving carts and on the table

### Small SKU Mode

Mounting height = 1.1m / 3.6 ft / 43.3 in  
Min Dimension = 1.2 x 1.2 x 0.8 in

### Accuracy

Regular : +/- 0.2 in | Irregular : +/- 0.4 in

### Inch (L x W x H)

21.7 x 17.7 x 17.7  
23.6 x 19.7 x 15.7  
27.6 x 21.7 x 11.8  
31.5 x 23.6 x 7.9  
35.4 x 27.6 x 3.9  
37.4 x 29.5 x 2  
39.4 x 29.5 x 0.8

### All Parcel Mode

Mounting height = 1.5m / 4.9 ft / 59.1 in  
Min Dimension = 1.9 x 1.9 x 1.9 in

### Accuracy

Regular : +/- 0.4 in | Irregular : +/- 0.4 in

### Inch (L x W x H)

21.7 x 17.7 x 33.5  
23.6 x 19.7 x 31.5  
27.6 x 21.7 x 27.6  
31.5 x 23.6 x 23.6  
35.4 x 27.6 x 19.7  
39.4 x 29.5 x 15.7  
43.3 x 31.5 x 11.8  
47.2 x 35.4 x 7.9  
51.2 x 39.4 x 3.9  
53.1 x 41.3 x 2

## Ground

Placed on the floor or ground

### White Goods Mode

Mounting height = 2.2m / 7.2 ft / 86.6 in  
Min Dimension = 3.9 x 3.9 x 3.9 in

### Accuracy

Regular : +/- 0.6 in | Irregular : +/- 0.6 in

### Inch (L x W x H)

27.6 x 19.7 x 55.1	55.1 x 39.4 x 27.6
31.5 x 23.6 x 51.2	59.1 x 43.3 x 23.6
35.4 x 27.6 x 47.2	63.0 x 47.2 x 19.7
39.4 x 29.5 x 43.3	66.9 x 49.2 x 15.7
43.3 x 31.5 x 39.4	70.9 x 51.2 x 11.8
47.2 x 33.5 x 35.4	74.8 x 55.1 x 7.9
51.2 x 35.4 x 31.5	78.7 x 59.1 x 3.9



# VMEASURE MOUNTING OPTIONS

vMeasure can be used in different locations based on your use case



## Table Mount

Used for measuring small and medium parcels in the main flow

Throughput rate:  
300 - 350 parcels/hour



## Floor Mount

Used in the exclusion flow process

Throughput rate:  
250 - 300 parcels/hour



## Mechanical Roller

Used during the presorting process

Throughput rate:  
500 - 600 parcels/hour



## Mobile Cart

Used as a mobile data capture device

Throughput rate:  
250 - 300 parcels/hour





**90+**  
Customers



**10+**  
Countries



**2.5m**  
parcels scanned  
every month

Try the vMeasure and Deposco  
Integration now!

Contact:  
[alphonse@visailabs.com](mailto:alphonse@visailabs.com)



**GRANT BURCHAM**  
Head of Operations, Warehouse Anywhere

"...Speeds up the ability to capture the data or verify it without having to use a tape measure and a weight scale..."

**CHRIS LAZANAKIS**

Managing Director, Dezel Business Solutions.



"...Low maintenance, mobility in the warehouse, custom API's for integration and ease of use makes it an essential piece of equipment..."



**JOSHUA HOGETERP**  
President, Bargain Book stores

"...They are now indispensable components in our shipping process and have allowed us to predict shipping costs accurately..."